

Quick Installation Guide

Debian Based

Copyright © 2021 Apache OpenOffice.org Documentation Team

Legal Notice

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is found at <u>https://www.gnu.org/licenses/fdl-1.3.en.html</u>

Contributor

Marcia K Wilbur

Pre-Installation: Remove LibreOffice

If Libreoffice is on the system, remove libreoffice. As root or sudo:

apt-get remove --purge libreoffice* libexttextcat-data*
apt-get autoremove

Install OpenOffice.org

Step 1. Download the package https://www.openoffice.org/download/other.html

Step 2. Extract files

tar xvzf Apache_OpenOffice_4.1.8_Linux_x86-64_install-deb_en-US.tar.gz

Step 3. Installation

dpkg -i en-US/DEBS/*.deb

dpkg -i en-US/DEBS/desktop-integration/*.deb

Verify installation.

💌 Run Program	Terminal - aicra@debian: ~	+ - 9 X
Terminal Emulator	al Tabs Help	
File Manager Mail Reader Web Browser	Lce-impress (4.1.8-3) Lce-javafilter (4.1.8-3) Lce-math (4.1.8-3) Lce-math (4.1.8-3)	
Settings	ice-onlineupdate (4.1.8-3)	
Accessories	LCe-Gootonts (4.1.8-3) Lce-goolinguistic (4.1.8-3) Lce-yrung (4.1.8-3) Lce-xsltfilter (4.1.8-3) Lce-xsltfilter (4.1.8-3)	
🕈 Office 🕨	🖉 Atril Document Viewer	
System	Dictionary	
♦ About Xfce ↓ Log Out	OpenOffice 4.1.8 DepnOffice 4.1.8 Base OpenOffice 4.1.8 Base	
Setting up openof Setting up openof	OpenOffice 4.1.8 Draw OpenOffice 4.1.8 Draw	
Setting up openof root@debian:/home,	OpenOffice 4.1.8 Math OpenOffice 4.1.8 Printer Administration EBS/desktop-integration/*.deb	
Selecting previous (Reading database Preparing to unpa	DenoOffice 4.1.8 Writer Dian-menus. drently installed.) ck/openoffice4.1-débian-menus_4.1.8-9803_all.deb	
Setting up openof /usr/bin/gtk-upda	ice-debian-menus (4.1.8-9803) fice-debian-menus (4.1.8-9803) te-icon-cache	
gtk-update-icon-ca Processing trigge Processing trigge	ache: Cache file created successfully. rs for shared-mime-info (1.10-1) rs for hicolor-icon-theme (0.17-2)	
Processing trigger Processing trigger	rs for desktop-file-utils (0.23-4) rs for mime-support (3.62)	

Step 4. Open Writer

Click the Writer option.

Step 5. Setup OpenOffice.org

Enter the user first name, last name and initials.

This will only be required one time after installation and apply to Base, Calc, Draw, Impress, Math and Writer.



Click Next.

•	Welcome to OpenOffice 4.1.8			+ = ×	
Steps	Provide your full name and initials below				
1. Welcome 2. User name	The user name will be used in the document properties, templates and when you record changes made to documents.				
	<u>F</u> irst name <u>L</u> ast name <u>I</u> nitials				
	<< Bac <u>k</u>	Next >>	Einish	Cancel	

Enter the First Name, Last Name and initials. Click **Finish**.

The OpenOffice logo displays.

OpenOffice Writer opens and is ready to use.



